

OPEN UP NEW HORIZONS

EXOS. accessories and washbasins



*Make
it
Wonderful*

FRANKE





OPEN UP NEW HORIZONS

EXOS. the new Franke system line, opens up new horizons with its accessories and washbasins for public and semi-public areas.

One line. One system.

One consistent design language, clear-cut shapes, a high quality standard, modular options for customised solutions. Sustainability is the key concept here.

EXOS. by Franke.

One line. One design.

Functionality in perfect harmony.

EXOS. accessories and washbasins combined with the EXOS. Eletronic pillar mixer.

EXOS. ONE LINE

EXOS. by Franke for public and semi-public areas represents the future. For a system that opens up new horizons and combines worlds. The world of accessories and the world of washbasins. The world of functionality and design. For wheelchair accessible, customised areas. Straight lines, sophisticated, timeless. Perfect for every room. Personalised. A perfectly designed system.

EXOS. by Franke.
Perfectly designed architecture in evidence.
Highest quality. Tangible throughout the line.

Consistent design language

The line can be harmonically integrated into any new or existing architectural setting due to its clear-cut, consistent, timeless, elegant design and material.

EXOS. by Franke represents harmony.
Distinctive throughout the line.

Modular functionality

EXOS. accessories and washbasins guarantee optimum design flexibility for architecture and planning. The line is suitable for individual, customised solutions for new or existing public or semi-public areas.

All EXOS. products are modular in design and the system will be constantly expandable and upgradeable: The front panels of the accessories are exchangeable and the operation of the soap dispenser can be changed. The bowls and the length of the washbasins can be selected. Thus the whole line represents a comprehensive range that guarantees maximum reliability and planning flexibility and the highest quality modular range of features.

EXOS. by Franke – there's method in it.
Perfect solutions throughout the line.

Exceptional quality

Well established materials, such as stainless steel, glass and mineral granite are used for EXOS. All EXOS. system components are high quality, easy to clean and durable.

The whole line – from the use of different materials up to modular washbasin designs – takes modern requirements into consideration.

EXOS. by Franke is quality.
Tangible throughout the line.





EXOS. ACCESSORIES

EXOS. accessories by Franke – functionality and performance. Interchangeable fronts made of high quality materials, such as stainless steel and glass, are beautifully designed and can be incorporated individually in any architectural setting. Clear-cut lines. Sophisticated shapes. The timeless design makes for harmonious proportions.

EXOS. accessories by Franke.
Features and design in harmony.

EXOS. accessories

With EXOS. accessories, Franke is setting a new direction: Clear-cut design, modular systems and high quality materials.

By the use of interchangeable fronts in different sorts of materials, such as stainless steel and glass, different room ambiances can be created. Flexibility can also be found in the soap dispenser product group. Here the inner operation can be easily changed from electronic to manual, from liquid soap to foam soap. This is possible at any time, even retrospectively.

EXOS. offers modular flexibility.
Throughout the range.

far left: EXOS. Paper towel dispenser and waste bin with black glass front

top left: EXOS. Hygiene waste bin and Double toilet roll holder with stainless steel front and InoxPlus coating, recessed

bottom left: EXOS. Electronic soap dispenser with white glass front

EXOS. WASHBASINS

With EXOS. washbasins, Franke has created a unique, perfectly designed system line. With an uniform design language for the whole EXOS. washbasin range. For both standard and also customised solutions.

EXOS. washbasins by Franke.
For a perfectly designed system application.

EXOS. washbasins

EXOS. mineral granite washbasins stand out because of their universal flexibility and their modular system. High quality and distinctive design as well as tailor made functionality can be experienced. The use of high quality stainless steel waste covers underlines once more the harmony of the system line.

EXOS. washbasins are excellent for any type of solution in standard areas, wheelchair accessible and customised washrooms. The selection ranges from common standard sizes up to variable dimensions. The range also stands out because of its different bowl sizes, washbasin lengths and integrated additional fitting options.

Increased comfort, safety and ergonomics were taken into account in the design, the dimensions of the worktops, the design of the integrated grab rails and the deliberate separation of wet and dry areas.

EXOS. offers modular flexibility.
Throughout the range.





EXOS. MATERIAL

Franke's modular EXOS. system with its range of high quality materials is perfect for any situation. Customised. Modular. In existing or new architectural settings.

EXOS. and its materials.

Sophisticated, high quality, robust, modern, easy to clean and hygienic. Everything well thought out. In one design line.

Stainless steel

The use of stainless steel as a basic material for equipment in public and semi-public washrooms is standard, for good reason. This well established material combines a stylish appearance with functionality and durability. It can be perfectly combined and can be harmoniously supplemented with materials such as glass and ceramics. Because of its material properties, stainless steel can take on and reflect the colours of its environment. Stainless steel products can easily be integrated into almost any room. This material sets standards.

Stainless steel with InoxPlus refinement

With Franke's InoxPlus surface coating the already easy to clean stainless steel has been approved once more. And so, annoying finger prints which previously often adhered stubbornly to stainless steel now belong practically in the past.

This is a technology where nano particles interlock with the molecules on the metal surface and thus nestle closely against microscopic imperfections. The results are deep finished, easy to clean, fingerprint-resistant surfaces.

MIRANIT




Sanitary equipment made of solid MIRANIT resin-bonded mineral material are eminently suitable for the modern and simultaneously aesthetic design of washrooms in institutions. MIRANIT products made in the truest sense of the word in one piece without bond seams and joins stand out because of their excellent properties - a high level of stability and an elegant look and feel. The smooth, pore-free, hygienic, easy to clean gel coat surface also offers extremely high resistance.

Toughened safety glass




Single glazed toughened safety glass is a material which, like stainless steel, is distinguished by its timeless character and its ability to be combined with other materials. Glass and stainless steel represent high quality and timeless elegance. You can no longer imagine modern room design without these two materials. Therefore, the deliberate combination of the two materials is particularly attractive.

In accordance with safety requirements in washrooms Franke only uses toughened safety glass.


Sanitary Equipment EXOS.


VIEW	TYPE / MODEL		ITEM-NUMBER
	EXOS. Automatic soap dispenser		
	Automatic soap dispenser for wall mounting, stainless steel with satin finish and InoxPlus surface refinement, material thickness 1.2 mm, inspection window on side, infrared sensor activity for non-touch operation, LED display for low battery status, requires four 1.5 V AA batteries, suitable for liquid soap and lotions, includes 800 ml refill tank, dispenses 0.6 - 1.1 ml depending on soap, includes mounting materials. Fronts available in different versions. 120 x 325 x 120 mm (W x H x D)		
	InoxPlus-coated main housing and front panel EXOS625X		2030022942
	InoxPlus-coated main housing, black toughened safety glass front panel EXOS625B		2030022943
	InoxPlus-coated main housing, white toughened safety glass front panel EXOS625W		2030025231
	EXOS. Soap dispenser		
	Soap dispenser for wall mounting, stainless steel with satin finish and InoxPlus surface refinement, material thickness 1.2 mm, inspection window on side, suitable for liquid soap and lotions, 800 ml refill tank, with stainless steel push lever, easy to refill with soap tank on front panel, includes mounting materials. Fronts available in different versions. 120 x 345 x 120 mm (W x H x D)		
	InoxPlus-coated main housing and front panel EXOS618X		2030022939
	InoxPlus-coated main housing, black toughened safety glass front panel EXOS618B		2030022940
	InoxPlus-coated main housing, white toughened safety glass front panel EXOS618W		2030025230
	EXOS. Foam soap dispenser		
	Foam soap dispenser for wall mounting, stainless steel with satin finish and InoxPlus surface refinement, material thickness 1.2 mm, inspection window on side, with stainless steel pull lever, suitable for Franke foam soap, includes mounting materials and 650 ml Franke foam soap. Fronts available in different versions. 120 x 357 x 120 mm (W x H x D)		
	InoxPlus-coated main housing and front panel EXOS616X		2030022945
	InoxPlus-coated main housing, black toughened safety glass front panel EXOS616B		2030022946
	InoxPlus-coated main housing, white toughened safety glass front panel EXOS616W		2030025232




VIEW	TYPE / MODEL	ITEM-NUMBER
EXOS. Automatic soap dispenser, recessed		
<p>Automatic soap dispenser for recessed mounting, stainless steel with satin finish and InoxPlus surface refinement, material thickness 1.2 mm, infrared sensor activity for non-touch operation, LED display for low battery status, requires four 1.5 V AA batteries, suitable for liquid soaps or lotions, includes 800 ml refill tank, dispenses 0.6-1.1 ml depending on soap, includes mounting material. Fronts available in different versions.</p> <p>124 x 500 x 120 mm (W x H x D)</p>		
	InoxPlus-coated main housing and front panel EXOS625EX	2030034639
	InoxPlus-coated main housing, black toughened safety glass front panel EXOS625EB	2030034641
	InoxPlus-coated main housing, white toughened safety glass front panel EXOS625EW	2030034668
EXOS. Soap dispenser, recessed		
<p>Soap dispenser for recessed mounting, stainless steel with satin finish and InoxPlus surface refinement, material thickness 1.2 mm, suitable for liquid soap and lotions, 800 ml refill tank, with stainless steel push lever, easy to refill with soap tank on front panel, includes mounting materials. Fronts available in different versions.</p> <p>124 x 500 x 120 mm (W x H x D)</p>		
	InoxPlus-coated main housing and front panel EXOS618EX	2030034637
	InoxPlus-coated main housing, black toughened safety glass front panel EXOS618EB	2030034638
	InoxPlus-coated main housing, white toughened safety glass front panel EXOS618EW	2030034667
EXOS. Foam soap dispenser, recessed		
<p>Foam soap dispenser for recessed mounting, stainless steel with satin finish and InoxPlus surface refinement, material thickness 1.2 mm, with stainless steel pull lever, suitable for Franke foam soap, includes mounting materials and 650 ml Franke foam soap. Fronts available in different versions.</p> <p>124 x 500 x 120 mm (W x H x D)</p>		
	InoxPlus-coated main housing and front panel EXOS616EX	2030034634
	InoxPlus-coated main housing, black toughened safety glass front panel EXOS616EB	2030034636
	InoxPlus-coated main housing, white toughened safety glass front panel EXOS616EW	2030034666

Sanitary Equipment EXOS.





VIEW	TYPE / MODEL	ITEM-NUMBER
Interchangeable front panels for EXOS. Soap dispenser		
	InoxPlus-coated front panel ZEXOS616	2030022947
	Black toughened safety glass front panel ZEXOS616B	2030022948
	White toughened safety glass front panel ZEXOS616W	2030025238

Interchangeable front panels for EXOS. Soap dispenser, recessed		
	InoxPlus-coated front panel ZEXOS616E	2030034653
	Black toughened safety glass front panel ZEXOS616EB	2030034654
	White toughened safety glass front panel ZEXOS616EW	2030034710

Conversion kits for EXOS. Soap dispenser		
	Automatic soap dispenser conversion kit including automatic unit, refill tank, assembly plate and mounting material. For liquid and foam soap dispenser EXOS618/E and EXOS616/E. ZEXOS625K	2030022954
	Liquid soap dispenser conversion kit including soap pump, refill tank, stainless steel lever, assembly plate and mounting material. For automatic soap dispenser and foam soap dispenser EXOS625/E and EXOS616/E. ZEXOS618K	2030022956
	Foam soap dispenser conversion kit including soap pump, disposable cartridge, stainless steel lever, assembly plate and mounting material. For automatic soap dispenser and liquid soap dispenser EXOS625/E and EXOS618/E. ZEXOS616K	2030022955

VIEW	TYPE / MODEL	ITEM-NUMBER
EXOS. Hand dryer		
	<p>Hand dryer for wall mounting, stainless steel with satin-finish and InoxPlus surface refinement, material thickness 1.2 mm, with opto-electronic sensor for touch-free operation, adjustable hot air temperature, sensor range adjustable from 10 to 25 cm, protection from continuous operation with automatic switch-off after 60 seconds, air speed adjustable, cable and plug not included. Front cover available in different versions.</p> <p>Connection voltage: 230 V, 50-60 Hz Total power: 1000 W Heater: 500 W Motor: 500 W Air volume: 80 m³/h Air velocity: 95-115 m/s</p> <p>200 x 325 x 120 mm (W x H x D)</p>	
	<p>InoxPlus-coated main housing and front panel EXOS220X</p>	2030027981
	<p>InoxPlus-coated main housing, black toughened safety glass front panel EXOS220B</p>	2030034622
	<p>InoxPlus-coated main housing, white toughened safety glass front panel EXOS220W</p>	2030034660
	Interchangeable front covers for EXOS. Hand dryers	
	<p>InoxPlus-coated front cover ZEXOS220</p>	2030035358
	<p>InoxPlus-coated front cover, black toughened safety glass front panel ZEXOS220B</p>	2030035359
	<p>InoxPlus-coated front cover, white toughened safety glass front panel ZEXOS220W</p>	2030035360
EXOS. Paper towel roll dispenser		
	<p>Manual paper towel roll dispenser for wall mounting, stainless steel with satin finish and InoxPlus surface refinement, material thickness 1.2 mm, max. roll width 205 mm, max. roll diameter 200 mm, paper perforation length 260 mm, adjustable paper roll holder for optimized paper dispensing, includes mounting materials. Fronts available in different versions.</p> <p>300 x 425 x 210 mm (W x H x D)</p>	
	<p>InoxPlus-coated main housing and front panel EXOS637X</p>	2030022950
	<p>InoxPlus-coated main housing, black toughened safety glass front panel EXOS637B</p>	2030022951
	<p>InoxPlus-coated main housing, white toughened safety glass front panel EXOS637W</p>	2030025233
	Interchangeable front panels for EXOS. Paper towel roll dispenser	
	<p>InoxPlus-coated front panel ZEXOS637</p>	2030022952
	<p>Black toughened safety glass front panel ZEXOS637B</p>	2030022953
	<p>White toughened safety glass front panel ZEXOS637W</p>	2030025239




Sanitary Equipment EXOS.

VIEW	TYPE / MODEL	ITEM-NUMBER
EXOS. Paper towel dispenser		
	<p>Paper towel dispenser for wall mounting, stainless steel with satin finish and InoxPlus surface refinement, material thickness 1.2 mm, inspection window on side, capacity 300 - 400 pcs for Z-folded paper, includes mounting materials. Fronts available in different versions.</p> <p>300 x 325 x 120 mm (W x H x D)</p>	
	InoxPlus-coated main housing and front panel EXOS600X	2030022933
	InoxPlus-coated main housing, black toughened safety glass front panel EXOS600B	2030022934
	InoxPlus-coated main housing, white toughened safety glass front panel EXOS600W	2030025229
Interchangeable front panels for EXOS. Paper towel dispenser		
	InoxPlus-coated front panel ZEXOS600	2030022936
	Black toughened safety glass front panel ZEXOS600B	2030022937
	White toughened safety glass front panel ZEXOS600W	2030025236
EXOS. Paper towel dispenser, recessed		
	<p>Paper towel dispenser for recessed mounting, stainless steel with satin finish and InoxPlus surface refinement, material thickness 1.2 mm, capacity 300 - 400 pcs for Z-folded paper, includes mounting materials. Fronts available in different versions.</p> <p>304 x 500 x 120 mm (W x H x D)</p>	
	InoxPlus-coated main housing and front panel EXOS600EX	2030034624
	InoxPlus-coated main housing, black toughened safety glass front panel EXOS600EB	2030034625
	InoxPlus-coated main housing, white toughened safety glass front panel EXOS600EW	2030034662
Interchangeable front panels for EXOS. Paper towel dispenser, recessed and combination unit		
	InoxPlus-coated front panel ZEXOS600E	2030034647
	Black toughened safety glass front panel ZEXOS600EB	2030034648
	White toughened safety glass front panel ZEXOS600EW	2030034672


VIEW	TYPE / MODEL	ITEM-NUMBER
EXOS. Waste bin		
	<p>Waste bin for wall mounting, stainless steel with satin finish and InoxPlus surface refinement, material thickness 1.2 mm, capacity approx. 30 litres, integrated bag holder, includes mounting bracket and mounting materials. Fronts available in different versions.</p> <p>300 x 572 x 250 mm (W x H x D)</p> <p>InoxPlus-coated main housing and front panel EXOS605X</p>	2030022928
	<p>InoxPlus-coated main housing, black toughened safety glass front panel EXOS605B</p>	2030022929
	<p>InoxPlus-coated main housing, white toughened safety glass front panel EXOS605W</p>	2030025228
EXOS. Waste bin, recessed		
	<p>Waste bin for recessed mounting, stainless steel with satin finish and InoxPlus surface refinement, material thickness 1.2 mm, capacity approx. 30 litres, integrated bag holder, includes mounting bracket and mounting materials. Fronts available in different versions.</p> <p>304 x 790 x 251 mm (W x H x D)</p> <p>InoxPlus-coated main housing and front panel EXOS605EX</p>	2030034628
	<p>InoxPlus-coated main housing, black toughened safety glass front panel EXOS605EB</p>	2030034629
	<p>InoxPlus-coated main housing, white toughened safety glass front panel EXOS605EW</p>	2030034664
Interchangeable front panels for EXOS. Waste bin wall-mounted, recessed and combination unit		
	<p>InoxPlus-coated front panel ZEXOS605</p>	2030022930
	<p>Black toughened safety glass front panel ZEXOS605B</p>	2030022931
	<p>White toughened safety glass front panel ZEXOS605W</p>	2030025234

Sanitary Equipment EXOS.


VIEW	TYPE / MODEL	ITEM-NUMBER
	EXOS. Paper towel dispenser and waste bin combination, recessed	
	Paper towel dispenser and waste bin combination for recessed mounting, stainless steel with satin finish and InoxPlus surface refinement, material thickness 1.2 mm, capacity of paper towel dispenser approx. 300-400 pcs for Z-folded paper, capacity of waste bin approx. 30 litres, integrated bag holder, includes mounting bracket and mounting materials. Fronts available in different versions. 304 x 1166 x 251 mm (W x H x D)	
	InoxPlus-coated main housing and front panel EXOS602EX	2030034626
	InoxPlus-coated main housing, black toughened safety glass front panel EXOS602EB	2030034627
	EXOS. Toilet roll holder	
	Toilet roll holder for wall mounting, stainless steel with satin finish and InoxPlus surface refinement, material thickness 1.5 mm, for rolls with a maximum diameter of 120 mm, stainless steel spindle with integrated roll stop function, includes mounting materials. 123 x 62 x 129 mm (W x H x D)	
	EXOS675X	2030031170
	EXOS. Double toilet roll holder	
	Double toilet roll holder with spindle system for wall mounting, stainless steel with satin finish and InoxPlus surface refinement, material thickness 1.2 mm, closed casing, for two rolls with a maximum diameter of 120 mm, hidden spare roll is released once the first one has been used up, includes mounting materials. 280 x 193 x 147 mm (W x H x D)	
	InoxPlus-coated main housing and front panel EXOS676X	2030033180
	InoxPlus-coated main housing, black toughened safety glass front panel EXOS676B	2030034645
	Interchangeable front panels for EXOS. Double toilet roll holder	
	InoxPlus-coated front panel ZEXOS676	2030034655
	Black toughened safety glass front panel ZEXOS676B	2030034656
	White toughened safety glass front panel ZEXOS676W	2030034711


VIEW	TYPE / MODEL	ITEM-NUMBER
	EXOS. Double toilet roll holder, recessed Double toilet roll holder with spindle system for recessed mounting, stainless steel with satin finish and InoxPlus surface refinement, material thickness 1.2 mm, closed casing, for two rolls with a maximum diameter of 120 mm, hidden spare roll is released once the first one has been used up, includes mounting materials. Fronts available in different versions. 284 x 350 x 147 mm (W x H x D)	
	InoxPlus-coated main housing and front panel EXOS676EX	2030034642
	InoxPlus-coated main housing, black toughened safety glass front panel EXOS676EB	2030034644
	InoxPlus-coated main housing, white toughened safety glass front panel EXOS676EW	2030034669
	Interchangeable front panels for EXOS. Double toilet roll holder, recessed InoxPlus-coated front panel ZEXOS676E	2030034657
	Black toughened safety glass front panel ZEXOS676EB	2030034658
	White toughened safety glass front panel ZEXOS676EW	2030034712
	EXOS. Jumbo toilet roll holder Jumbo toilet roll holder for wall mounting, stainless steel with satin finish and InoxPlus surface refinement, material thickness 1.2 mm, closed casing with inspection windows on the side, paper dispensed over two serrated tear-off edges, for one jumbo roll with a maximum diameter of 280 mm (core 40 mm), includes mounting materials. Conversion kit for retrofitting EXOS. Jumbo toilet roll holder to incorporate four toilet rolls is also available. 325 x 352 x 130 mm (W x H x D)	
	EXOS670X	2030028245
	Conversion kit for EXOS. Jumbo toilet roll holder Conversion kit for retrofitting jumbo toilet roll holder EXOS670X to incorporate four toilet rolls, consisting of carousel, roll stopper, mounting materials.	
	ZEXOS670K	2030035972

Sanitary Equipment EXOS.

VIEW	TYPE / MODEL	ITEM-NUMBER
	EXOS. Hygiene waste bin Hygiene waste bin for wall mounting, stainless steel with satin finish and InoxPlus surface refinement, material thickness 1.2 mm, capacity approx. 3.7 litres, hinged self-closing front, integrated plastic container for waste removal, includes mounting materials. Fronts available in different versions. 230 x 346 x 125 mm (W x H x D)	
	InoxPlus-coated main housing and front panel EXOS611X	2030028001
	InoxPlus-coated main housing, black toughened safety glass front panel EXOS611B	2030030108
	InoxPlus-coated main housing, white toughened safety glass front panel EXOS611W	2030030111




	EXOS. Hygiene waste bin, recessed Hygiene waste bin for recessed mounting, stainless steel with satin finish and InoxPlus surface refinement, material thickness 1.2 mm, capacity approx. 3.7 litres, hinged self-closing front, integrated plastic container for waste removal, includes mounting materials. Fronts available in different versions. 234 x 332 x 125 mm (W x H x D)	
	InoxPlus-coated main housing and front panel EXOS611EX	2030034630
	InoxPlus-coated main housing, black toughened safety glass front panel EXOS611EB	2030034631
	InoxPlus-coated main housing, white toughened safety glass front panel EXOS611EW	2030034665


	Interchangeable front panels for EXOS. Hygiene waste bin, wall-mounted and recessed InoxPlus-coated front panel ZEXOS611	2030034649
	Black toughened safety glass front panel ZEXOS611B	2030034650
	White toughened safety glass front panel ZEXOS611W	2030034707

	EXOS. Toilet brush holder Toilet brush holder for wall mounting, stainless steel with satin finish and InoxPlus surface refinement, material thickness 1.5 mm, closed casing to the front, brush withdrawal at the right, brush with stainless steel handle and black nylon brush head, removable plastic drip tray, includes mounting materials. 110 x 298 x 97 mm (W x H x D)	
	EXOS687X	2030027995



Sanitary Equipment EXOS.


VIEW	TYPE / MODEL	ITEM-NUMBER
	<p>EXOS. Single washbasin</p> <p>EXOS. single washbasin made of MIRANIT resin-bonded mineral material with pore-free, smooth gelcoat high-polished surface (temperature-resistant up to 80 °C). Colour Alpine white, with storage surfaces. Mounting on washbasin back panel. It has a seamless moulded bowl, no overflow and lowered tap ledge with tap hole. Mounting material and waste cover with InoxPlus coating included.</p> <p>Dimensions 600 x 125 x 500 mm (W x H x D) Bowl dimensions 380 x 90 x 340 mm (W x H x D)</p> <p>ANMW0010</p>	2030020677
	<p>EXOS. Single washbasin</p> <p>EXOS. single washbasin made of MIRANIT resin-bonded mineral composite with pore-free, smooth gelcoat high-polished surface (temperature-resistant up to 80 °C). Colour Alpine white, with storage. Mounting on washbasin back panel. It has a seamless moulded bowl, no overflow and lowered tap ledge with tap hole. Mounting material and waste cover with InoxPlus coating included.</p> <p>Dimensions 900 x 125 x 500 mm (W x H x D) Bowl dimensions 500 x 90 x 340 mm (W x H x D)</p> <p>ANMW0011</p>	2030020679
	<p>EXOS. Single washbasin - wheelchair accessible</p> <p>EXOS. single washbasin, wheelchair accessible, made of MIRANIT resin-bonded mineral material with pore-free, smooth gelcoat high-polished surface (temperature-resistant up to 80 °C). Colour Alpine white, with integrated grab rails, storage surfaces. Mounting on washbasin back panel. It has a seamless moulded bowl, no overflow and lowered tap ledge with tap hole. Mounting material, strainer waste G 1 1/4 B, anti-theft device for waster cover with InoxPlus coating included.</p> <p>Dimensions 600 x 125 x 500 mm (W x H x D) Bowl dimensions 380 x 90 x 340 mm (W x H x D)</p> <p>ANMW0001</p>	2030020667


VIEW	TYPE / MODEL	ITEM-NUMBER
	<p>EXOS. Single washbasin - wheelchair accessible</p> <p>EXOS. single washbasin, wheelchair accessible, made of MIRANIT resin-bonded mineral material with pore-free, smooth gelcoat high-polished surface (temperature-resistant up to 80 °C). Colour Alpine white, with integrated grab rails, storage surfaces. Mounting on washbasin back panel. It has a seamless moulded bowl, no overflow and lowered tap ledge with tap hole. Mounting material, strainer waste G 1 1/4 B, anti-theft device for waste cover with InoxPlus coating included.</p> <p>Dimensions 900 x 125 x 500 mm (W x H x D) Bowl dimensions 500 x 90 x 340 mm (W x H x D)</p> <p>ANMW0002</p>	2030020673



<p>EXOS. Multiple washbasin solution</p> <p>EXOS. multiple washbasin made of MIRANIT resin-bonded mineral material with pore-free, smooth gelcoat high-polished surface (temperature-resistant up to 80°C). Colour Alpine white, with storage surfaces. Mounting on washbasin back panel. The unit has up to 5 seamless moulded bowls, no overflow and lowered tap ledge with tap hole. Variable gaps between bowls, available with/without apron or gel-coated edges. Individual washbasin length up to 3600 mm, with or without splashback. Mounting material, strainer waste DN 32, anti-theft device for waste cover with InoxPlus coating included.</p> <p>Minimum dimensions: 600 x 125 x 500 mm (W x H x D) (bowl 380 mm) Minimum dimensions: 700 x 125 x 500 mm (W x H x D) (bowl 500 mm)</p> <p>Customized fit to building specifications</p> <p>Detailed specifications regarding type of installation will be clarified when the order is received using manufacturing specifications (available on request from Franke).</p>
--





Sanitary Equipment EXOS.

VIEW	TYPE / MODEL	ITEM-NUMBER
	EXOS. multiple washbasin solution - wheelchair accessible	
	EXOS. washbasin solution, wheelchair accessible, made of MIRANIT resin-bonded mineral material with pore-free, smooth gelcoat high-polished surface (temperature-resistant up to 80 °C). Colour Alpine white, with integrated grab rails, storage surfaces. Mounting on washbasin back panel. It has a seamless moulded bowl, no overflow and lowered tap ledge with tap hole. Individual washbasin length up to 3600 mm, with/without splashback. Mounting material, strainer waste DN 32, anti-theft device for waste cover with InoxPlus coating included.	
	Minimum dimensions 780 x 125 x 500 mm (W x H x D) (bowl 380 mm) Minimum dimensions 900 x 125 x 500 mm (W x H x D) (bowl 500 mm)	
	Customized fit to building specifications	
	Detailed specifications regarding type of installation will be clarified when the order is received using manufacturing specifications (available on request from Franke).	




	EXOS. Hand washbasin - wheelchair accessible	
	EXOS. hand washbasin, wheelchair accessible, made of MIRANIT resin-bonded mineral material with pore-free, smooth gelcoat high-polished surface (temperature-resistant up to 80 °C). Colour Alpine white, with integrated grab rails, storage surfaces. Mounting on washbasin back panel. It has a seamless moulded bowl, no overflow and lowered tap ledge with tap hole. Mounting material included.	
	Dimensions 500 x 121 x 400 mm (W x H x D) Bowl dimensions 280 x 90 x 274 mm (W x H x D)	
	ANMW0003	2030020676
	Optional:	
	ZANMW900 Dome waste valve DN 32	2000100861
	ZANMW901 Strainer waste DN 32	2000100854



Complementary products

VIEW	TYPE / MODEL	ITEM-NUMBER
	PROTRONIC-S Eletronic pillar mixer	
	<p>PROTRONIC-S battery-supplied washbasin mixer with touch-free operation, DN 15 with aerator and integrated flow control, for connection to hot and cold water supply, polished chromium-plated brass. With temperature selection lever and conversion set for concealed mixing device, 6 V battery.</p> <p>AQUA130</p>	<p>2000067773</p>
	<p>With plug-in power supply with EU male connector, 230 V AC.</p> <p>PRTRS0009</p>	<p>2030025078</p>
	Soap dispenser for table top mounting into worktops	
	<p>Soap dispenser for table top mounting into worktops with max. 45 mm thickness, high polished chromated brass, requires 22 mm drilling hole, G 1/2 B thread, spout not movable, spout length 140 mm, suitable for liquid soaps and lotions, 1 litre soap tank with membrane for pressure balance, filled from above.</p> <p>With standard body length (85 mm)</p> <p>SD80</p>	<p>2000056721</p>
	Electronic soap dispenser for table top mounting	
	<p>Deck mounted electronic soap dispenser, opto-electronically controlled, to be connected to an on-wall mounted intended unit. The unit consists of a tank for liquid soap, a power supply and a pump unit, including 4 adjustable volumes per sensor operation. Sensor located inside all-metal housing, polished chromium-plated brass. Mains plug-in power supply unit 230 V AC including optional backup battery or external battery operation 6 V DC only (4 x AA, batteries not included).</p> <p>SD99-010</p>	<p>2030039038</p>
	Electronic soap dispenser for wall mounting	
	<p>Wall mounted electronic soap dispenser for concealed backwall installations, opto-electronically controlled, to be connected to an either on-wall or backwall mounted intended unit. The unit consists of a tank for liquid soap, a power supply and a pump unit, including 4 adjustable volumes per sensor operation. Sensor located inside all-metal housing, polished chromium-plated brass. Mains plug-in power supply unit 230 V AC including optional backup battery or external battery operation 6V DC only (4 x AA, batteries not included).</p> <p>SD99-009</p>	<p>2030039032</p>

Complementary products

VIEW	TYPE / MODEL	ITEM-NUMBER
	Waste disposal flap for table top installation	
	Waste disposal flap for table top installation, stainless steel, visible surfaces satin finished, material thickness 0.8 mm, self-closing disposal flap, without waste container.	
	RODX605TT	2000101211
	Waste chute for table top installation	
	Waste chute for table top installation, stainless steel, visible surfaces satin finished, material thickness 0.8 mm, without waste container.	
	RODX607TT	2000101212
	Paper towel dispenser for installation from the top	
	Paper towel dispenser for installation from the top, stainless steel, surface satin finished, material thickness 0.8 mm, capacity for 600 Z-fold paper towels, filling from top, including stainless steel screws and dowels.	
	RODX600TT	2000102672
Consumables		
	Organic liquid soap, 1 litre, 6 bottles per pack	
	SO1P	2030058103
	Liquid soap organic, 10 litre canister	
	SO10L	2000057168
	Foam soap cartridge, 650 ml, 9 cartridges per pack	
	EXINX616FP	2030058766
	Folded paper towels, 180 items per pack, 20 packs per case	
	FH68P	2030058763





DELABIE



RAK
CERAMICS

SCALEMASTER

SOLO

WATERGUARD

WARDEN

WISA

WILKINS

ZURN



**MACDONALD
INDUSTRIES LIMITED**

Auckland (Head Office)

20 Carr Rd, Three Kings
Auckland 1042
09 624 1115
sales@macdonaldindustries.co.nz
macdonaldindustries.co.nz

Christchurch

32B Hayton Road
Wigram, Christchurch
03 348 2356
christchurch@macdonaldindustries.co.nz

Wellington

04 569 8033

